RECZIVED CENTRAL FAX CENTER AUG 2 9 2008

## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**

- 1. (Currently Amended) Process for the sterilization and/or germ reduction of <u>elastomeric</u> two-component <u>impressiondental molding</u> materials, <u>said process</u> comprising subjecting the two components <u>in an unmixed state in a primary packing agent</u> to radiation sterilization.
- 2. (Currently Amended) Process according to Claim 1, wherein the impression materials and/or their components are elastomeric impression materials comprising two components are cross-linkable together.
- 3. (Currently Amended) Process according to Claim 2, wherein the impressiondental mold materials and/or their components-further comprise:
- i) silicone impression materials which are cross-linkable via addition curing or condensation curing reactions or via a cross-linking via acrylate or methacrylate groups; or
- ii) polyether impression materials which are cross-linkable via addition curing or condensation curing reactions or via a cross-linking via acrylate or methacrylate groups or via a ring-opening reaction.

- 4. (Currently Amended) Process according to Claim 1, wherein the impression dental mold materials and/or their components are impression materials having comprise a powder component and a fluid component.
- 5. (Currently Amended) Process according to Claim 4, wherein the impressiondental mold materials and/or their components comprise an alginate impression material.
- 6. (Currently Amended) Process according to Claim 1, whereinwhich further comprises radiation sterilizing, in addition to said impressiondental mold materials and/or their components, an addition cross-linking silicon impression material is used, said addition cross-linkable silicon impression material comprising vinyl-group-containing polysiloxanes, said vinyl-group-containing polysiloxanes comprising at least in part diphenyl siloxane- and/or phenyl methyl siloxane structural units.
- 7. (Currently Amended) Process according to Claim 6, wherein polymers are used, which contain the addition cross-linking silicon impression material comprises a polymer comprising at least 3 Mol-% diphenyl siloxane and/or phenyl methyl siloxane units.
  - 8. (Canceled)

- 9. (Currently Amended) Process according to Claim [[8]]1, wherein the impression material and/or itstwo components are arranged in the primary packaging and are simultaneously radiation treated along with accessories for mixing or for application of the impressiondental mold material.
- 10. (Currently Amended) Process according to Claim [[8]]1, wherein a twin-chamber cartridge is used as primary packaging and a mixing nozzle as accessory.
- 11. (Original) Process according to Claim 1, wherein the radiation sterilization is performed by means of gamma rays or electron rays.
- 12. (Currently Amended) Process according to Claim 11, wherein the radiation sterilization is performed at a radiation dose of a maximum of 50 kGy is used.
  - 13.-15. (Canceled)
- 16. (Currently Amended) Process according to Claim 7, wherein the polymers used containpolymer comprises at least 10 Mol-% diphenyl siloxane and/or phenyl methyl siloxane units.
  - 17. (Currently Amended) Process according to Claim 12, wherein the

USSN 10/600,773

Amendment under 37 CFR § 1.116 filed August 29, 2008